□□□□□□□□ 1064 1320 532755 □□□□□□ □□□□ □□□□□□□□ □□□□□□ □□□□□□
q □□□□□□□□ nd yag □□□□□□□□ □□□□□□ □□□□□□ □□□

□□□□□□□□□ □□□

□□□□□□□□□ □□□□□□□□ □□□□□□□ □□□□□ □□□□□ □ □□□□□ □□□□□

1. □□□□□ □□□□□□□ □□□□□□ □□□□□ □□□□□□ □□□□□ □□□□□ □□ □□□□□□□
2. □□□□□□ □□□□ □ □□□□□□□□ □□□□□ □□□□□ □□□□
3. □□□□□ □□□□□□ □ □□□□□□□□□ □□□□□ □□□□ □□□□□

4. □□□□□□□□ □□□□□ □□□□□□□ □□□□□□


1064nm
532nm
1320nm
755nm
1064nm
It's different!
How is it different?

□□□ □□□□

1. □□□□□ □□□□□□ □□□□ .□□□□□□□ □□□□□□□□ □□□□□□□□□ □□□□□□□□□ □□□□□□□.
2. □□□□□□□□ □□□□□□□□ □□□□□□□ □□□□□□□ □□□□ □□□□□□ □□□□□□□.
3. □□□□□□□□□□ □□□□□□□ □□□□□□ □□□□□ □□□□□□□

□□□□□□ □□□□

5 □□□□□□□□□ □□□□□ □□□□ □□□□□ □□□ □□□□□ □ □□□□□□ □□□□

1. 532: □□□□□□□□ □□□□□□□□ □□□□□.
2. 755 □□□□□ □□□ □□□□ □□□ .□□□□□□□ □□□□□□□ □□□□□ □□□□□□□ □□□□□□□ :□□□□□ □□□ □□□
3. □□□□□□□ □□□□□□□ □□□□□ □□□□□□□ :1064 □□□□□□□□ □□□□□□□□ □□□□□□□□
4. □□□□□□□□ □□□□□□□ □□□□□ □□□□□□□ □□□□□□□ :1064 □□□□□□□□ □□□□□□□□ □□□ □□□□□□□□
5. 1320: □□□ □□□□□□□ □□□□□ □□□□□□□ □□□□ □ □□□□□ □□□□ □ □□□□□ □□□□□ □□□□□□□

Advantage

The maximum energy, the best effect

Laboratory data shows that the laser rod reaches 2000mj.
Precise calculation of laser value
The aiming distance of the indicator light is 6-10cm

5 treatment heads

Detachable and rotatable outer wire design
532: Remove colored tattoos.
755;honeycomb head: used to remove age spots, freckles, and chloasma. little damage to skin
Adjustable parameter 1064: for tattoo removal, eyebrow clearing
1064: used for removing tattoos and clearing eyebrows
1320: large area treatment, large spot, fast treatment speed and good effect

□□□□□□□ □□□□□□

Working **Principle**



TREATMENT HEADS

532: Remove colored tattoos.

755 honeycomb head: used to remove age spots, freckles, and chloasma. little damage to skin

Adjustable parameter 1064: for tattoo removal, eyebrow clearing

1064: used for removing tattoos and clearing eyebrows

1320: large area treatment, large spot, fast treatment speed and good effect

□□□□□ □□□□ □ □□□□ □□□□

1. 2000 □□□ □□□ □□□□□□ □□□□ □□ □□□□□□□□□ □□□□□□□□ □□□□mj.
2. □□□□□□ □□□□□ □□□□ □□□□
3. □□ 10-6 □□ □□□□□□ □□□ □□ □□□□□ □□□□□

□□□□□□ **Paramenters**


1064nm
Precise Calculation
Laser Value
The aiming distance of the indicator light is 6-10cm
6-10cm
You think you can, you can
No one can stop me

□□□□□ □□□□ Q-switch □□□□□ □□□□□□□ □□□ □ □□□□□□□ □□□□□ □□□□□□ □ □□□□□□□ Q.
□□□□□ □□□ □□□□□□ □□□ □□□□□□□ □□□□□□ □□□□□□□ □□□□□□ □□□□□ □□□□□ □□□□□□ □□ .□□□□□ □□□□□
□□□□ □□□□□□□ □□□□□ □□□□□□ □□ □□□□□ □□ □□□□ □□□□□□ □□□□□ □□□ otas □□□□□□□ □□□□□ □□□□□
□□□□ □□□□□ □□□□□□□□ □ □□□□□□□ □□□□□□ □□□□□□□ □ □□□□□□□ □□□□□□ □□□□□□ □□□□□□.
□□□□□ □□□□□ □□ □□□□□□ □□.

Treatment Effec
a solution to a variety of skin problems

BEFORE
AFTER
BEFORE
AFTER


Original pigment
Traditional laser
Picosecond Laser

BEFORE
AFTER

□□□ □□□□
10 □□□□□□ □□□□ □□□□□ □□□□□ □□□□ □□□□
□□□□□ □□□ □□□□□
6 □□□□ □□□ □□□□□ □□□□ □ □□□□□□□□ □□□□
□□□□ □□□□ □□□ OEM □ □□□□□□ □□□□ □□□□□ □ □□□□□□□ □□□ □□□ / fre / □□□□□

Screen Image

The display screen is clear at a glance and easy to operate

LASER INTERFACE | MAIN INTERFACE | LANGUAGE INTERFACE

10 inch true color big touch screen. Super cool touch Experience.
Special language can be added according to your actual requirements.
Your logo also can be added on diode laser screen.

□□□□□□□□□□	□□□□ / □□□□□□ □□□□ □□□□ Nd yag
□□□□□□	□□□□ □□□□ / □□□□□ □□□ □□ □□□□□□ □□ □□□□□ Blackface
□□□□□	5 □□□□□
□□□□□□ □□□□□	1064nm 532nm 1320nm 755nm
□□□□□□ □□□□□	□□□□□□□ □□□□□□□□ □□□□□ □□□□□ □□□□□ □□□□□....
□□□□□	1-10 □□□□
□□□□□□□□ □□□□□	110 □□□□ 60-50 □□□□ 220 / □□□□

□□□□□□□ □□□□□
15 □□□□□□□ □□□□ □□□□□ □□ □□□□□□ □□□□□□ □□ □□□□□!
15 □□□□ □□□ □□□□□□ □□□□□□ □□□□
□□□□□□ CE □□□□□□ □□□□□□□□ TUV □□□□□□□ □□□□□□□ □□□□□□ □□□□□□ □□□□□ □□□ □□□□□□□□

□□□□□□□□ □□□□□□ □□□□□□ □□ □□□□□□ 15 □□ □□□□□ □□□□□□ □□□□□□ □□□□□ □□ □□□□□□□ □□□□ □□□□□ □□ □□□□□ □ □□□□□ 126 □□ □□□□□ □□□□ □□□□□□□□□ □□□□□ .□□□□□□□□□□ □□□□□□□□□ □□□□□□□□□ □□□□□□□□□ □□□□□□ □□□□□ □□□□□□□□□□ □□□□□□□□ □□□□□□ □ □□□□□□□ 60.000 □□ □□□□□ □□□□□□.

□□□□□□□ □□□□□□□□□ □□□□□□ □□□□□ □□□□ □□□□□□□□□ □□□□□□□□□ □□□□□□ □□□□□□□□□□ □□□□□□□□□ □□□□□□ □□□□□□□□□ □□□□□□ □□□□□□□ □□□□□ □□□□ □□□□□□□ □ □□□□□□□□□ □□□□□□ □□□□□□□ □ □□□□□□ □□□□□□□ □□□□□□□□ □□□□□□□□ □□□□□□ □□ □□□□□□□□□ □□□□ □□□□□ □□□□□ □□□□□□ □□□□ □ □□□□□□□□ □□□□□□ □□ □□□□□□□ □□□□□□□ □.

Our Showroom

□ □□□□□□ □□□□□ □□□□□□ □□□ □□□□□ □□□□ □□□□ □□□□□□□ □□□□ □□□□ □□□□ □□□□□□□□ □□□□□ □□□□ □□□ CE □ FDA □ TUV □ ISO 13485... □□□.

□□□□ □□□□□□ □□□□ □□□□□□ □□□□□□□ □□□□□ □ □□□□□ □□□□□ □□□□ □□□□□□□ / □□□□□ □□ □□□□□ □□□ □□□□□.

□□□□ ODM / OEM □□□□□□ □□□ □□□□ □□□□□□ □□□□□ □□□□□□ □□□□□□ □□□□□ □□□□□ □□□□□□ □□□□□□ □□□□□ □□ □□□□□ □□ □□□□□ □□□□□□ □□□□ □□ □□□□ .□□□□□□□□ □□□□□□.

CERTIFICATE

BV-France's most authoritative certification body BV Group certification

TUV-Germany's most authoritative certification body Rheinland certification

SGS-Switzerland's most authoritative certification body SGS certification

CE

Italy ECM Certification

ISO 13485

NQA medical system certification

Production Process

Warehouse spare parts

Parts assembly

Precision machining

Handle fabrication

Product assembly process

Quality inspection of finished products

Product packaging

□□□□□ □□□□ □□□□□ □□□□□□□ □□□□ □□□□□ □□□□□ □□□ □□ □□□□□ □□□□□□ □□□□ □□□□□ □□□□ □□ □□□□□ □□□□ □□ □□□□ 24 □□□□ □□□ □□□□□□□□ □□□ □□□□ □□□ □□□□□□ □□□□□ □ □□□□□□ □□□ □□□□□□ □□ □□□□□ □ □□□□□ □□□□□ □□□ □□ □□□□□ □□□□□□□ □□□□□ □ □□□□□ □□ □□□□□□ □□□□ .□□□□□ □□□ □□□ □□□ □□□□ □□ □□□□□□□.

□□□□□ □□□ □□□□ .□□□□□ □□□□□□ □□□□□□□ □□□□□□□ □□□□□ □□□ □□□□□□□ □□□□ □□□ □□□□□ □□□□□ .□□□□□□□□ □□□ □□□□□□□ □□□□□□□□□ □□□□□□□ □□□□□ □□□□□ □□□ .□□□□□ □□□□□ □□□□□ □□□□□□□ □□□□ □□ □□□□□□ □□□□□□□ □□□□□ □□□□ □□□.

□□□□□□ □□□□□

Packing

Safe and thouhgtful packaging seivice

Tight packaging

The machine shall be made of waterproof materials and packaged

Anti collision foam board inside aluminum box

3-5 business days delivery

Professional guide:

24 Hours Professional online customer service

CONTACT US

In terms of following trade details:

1)The shipping cost are based on DHL cost to your country
2)Delivery time:3-5 days after receiving payments.
3)Payment terms:T/T(bank transfer),Western Union.
4)Warranty:2 years for the whole machine
5)Warranty Policy:one month guarantee replacement (we bear all shipping cost),2years warranty,lifelong maintenance.
6)Packing method: Aluminum box with hard plastic foam.
7)Free-training to customers:Free We could offer DVD and User's manual and 10 Hours online service to our customers
8)Certifications:CE TUV SFDA ISO 13485
9)MOQ:1 UNIT
10)The quotation here above is valid within 1 month