

102

102



102

1.3 Yag 1064nm Diode 808nm Alex 755nm 3 1

! 38 \* 12 20 \* 12 25 \* 15

3 Dual- TEC 24


4.Long life:



**A** natural



**B** energy absorbed by hair



**C** hair follicle died

□□□□□ □□□□□ □□□□ □□ □□□□ □□□□□□□□

Alex 755nm □□□□□□ □□□□□□

□□□□□□ □□□□□□ □□□□□□ 808 □□□□ □□□□  
 □□□□□□ □□□□□□ □□□□□□ 1064 □□□□□ □□□□□

# Handle Details


Three Wavelengths Work Together



Barcode icon

**12\*20nm**


755nm Laser  
808nm Laser  
1064nm Laser



Barcode icon

**12\*35nm**

755nm Laser  
808nm Laser  
1064nm Laser



### 如何選擇合適的規格

1. 根據客戶的皮膚狀況 / 設備的功率選擇合適的規格 : 設備功率 2000W

2. 3 1 個 3 個規格 1064 個規格 808 個規格 755 : 設備功率  
規格 35 \* 12 或 20 \* 12 : 設備功率 3000W .3


4. 設備功率 2000W 個規格 1600 個規格 1200 個規格 1000 個規格 : 設備功率

3.Cooling: 設備功率 24 個規格 個規格 個規格 個規格 個規格 個規格

### 如何選擇合適的規格

1. 根據客戶的皮膚狀況 選擇合適的規格 6 個規格 6 / 設備功率 2000W 個規格 : 設備功率  
個規格

設備功率 2000W 個規格 6.2  
個規格 3000W .3 OEM 個規格 / 個規格) 個規格...)



!... .. 24 !!