DIODE LASER HAIR REMOVEL
PAINLESS HAIR REMOVAL, NO SIDE EFFECT
MORE

Diode Laser
Permanent hair removel

□□□□□□□□□□ □□□□□□□ □□□□□□ □□□□□□□ □□□□□□□ □□□□ □□□□□ □□□□□

1. □□□□□□□ □□□□□□□ □□□□ □□□□ □□ □□□□□□ □□ □□□□□ 15 □□ □□□□ □□□□□ .□□□□□.
2. □□□□ □□□ □ □□□□□□□ □□□□□□ □□□□□ □□□ □□□□□□ □□□□ □□ .□□□□□□□.
3. □□□ □□□□ □□□□□ □□□□□ □□□□ □□□ □ □□□□ □□□□□.
4. □□□□□ □□□□□ □ □□□□□□□ 1064 □□□□□□□ 808 □□□□□□□ 755 :□□□□□□□ □□□□□□ □□□□□ .□□□□□□□ □□□□□□ □□□□□□□ □□□□□□ □□□□□□ □□□□□ □□□□□ □□□□ □ □□□□□□ □□□□□.
5. □□□□□ □ □□□□ □□□□ □□□□□ □□□□□□ □□□□ □ □□□□ □□□□□ 50 □ □□□□□□□ □□□□□□ □□□ .□□□□□ □□□□ □□□□ □□□□ □□□□□.

□□□□□□ □□□

>>> Big 20*12 □□□□□□ □□□mm, 12*35mm for option
>>> Laser technology, big power 10bar 1200W, 12 bar 1800W
>>> 300g handle, light weight, free quick slide treatment

>>> New nose hair treatment head, applicable to small part treatment
>>> 1 minute refrigeration frosting, painless treatment experience

1800W
1200W
ε=0.95
Low
-25.1 °C
MAX -25.1
MODE
Super cooling effect, the handle temperature can be reduced to - 25 °C

ALEX 755nm

For white skin

(fine, golden hair removal)

SPEED 810nm

For yellow neutral skin

(brown hair removal)

YAG 1064nm

For black skin

(black hair removal)



Treatment Effect

This is the clinical result of hair removal
It takes 3--5 times to realze
permanently hair remoavl



* 4 □□□□K 14 □□□□□ □□□ □□□□□ □□□□ □ □□□□.
* □□□□ OEM □□□□ □□ □□□ □□□□□□□ □□□ .□□□□□□.
* □□□□□□ □□□□□ □□□□□ □□□

مواصفات آلة إزالة الشعر بالليزر ديود

غرض	عمودي 755 نانومتر 808 نانومتر 1064 نانومتر ليزر ديود
نوع الليزر	شريط ليزر طبي ليزر ديود: 10 بار / 15 بار
قوة كل شريط	طبي مع 120 واط / بار
نظام العرض	بوصة تعمل باللمس اللون الحقيقي 14
الطول الموجي	نانومتر / 755 نانومتر / 1064 نانومتر 808
Spot Size	طبي بقطر 12 * 24 مم² / 12 * 36 مم²
عمر مقبض الليزر	ما لا يقل عن 40 مليون طلقة
طاقة	(جول / سم 2 قابل للتعديل (حتى 150 جول / سم 2 اختياري 150-10
مدة النبض	قابل للتعديل 30 ~ 400ms
تكرار	هرتز 10-1.0
نظام التبريد	كومبريسور هواء دوران ماء مغلق
التعامل مع القوة	واط / 1200 واط / 1600 واط / 1800 واط 1000
قوة الآلة	واط 4000
مصدر كهربائي	فولت / 50 هرتز أو 110 فولت / 60 هرتز 220
درجة حرارة الكريستال	درجة مئوية 3 ~ 20-
درجة حرارة الآلة	درجة مئوية 24
متطلبات الطاقة	AC220V / 110V 50 ~ 60 هرتز

□□□□□□ □□□

Alma
Soprano Titanium

15 Years
Laser Beauty Decvice
Manuafactor
Make your beauty business easier

OEM □□□□□ □ □□□□□□□ ODM:

- .□□□ □□ □□□□□
□□□□□ □□□ -
.□□□□□ □□□□ □□□ □□□ □□ □□□ -
.□□□□□ □□ □□□□□□ □□□□□□□□ □□□□□□ □□□□ □ □□ □□□□ □□□ □□□□ □□□ -

□□□□□□□□ □□ □□□□□□ □□□□ □□□□□□ □ □□□□□ □□□□ □□□□□ □□□□□ □□□□□ -.

□□□□□ □□□□□ □□□ 1064 755808 □□□□□□□ □□□□□□ □□□□ □□□□□□□□ □□□□□□□ □□□□ □□□□□□ □□□□□□□ □□□□ □□□□□□□ □□□□□ □□□□□ □□□ □ □□□□□□□ □□□□□□ □□□□□□□

.□□□□□□□□ □□ □□□□□ □□□□□ □□□□□□ □□□□
□□□□□□□□ □□□ □□□□ 24!