New Machine
High power diode laser with nice cooling technology
for hair removal with painless!

* □□□ □□□□ □□□□□ □□□□□□ □□□□□ □□□□□ □□□□□ □□ □□□ 1800 □□□□□□ □□□□ □□□□ □□□□!
* □□□□ .□□□□□ □□□□□□ □□ □□□□□□ □□□□□ □□□□ □□□□ □□□□□ □□□□□□ □□ □□□□□ □□□□□□□ □□□□□□ □□□□ □□□□□ □□□□□ □□□□□ □□□□□□ □□□□□ □□□□□□ □□□□□□□□ □□□□□□ □ □□□□□□ □□ □□□□□□□□□ □□□□ □□□□□ □□ □□□□ □□□□□ □□□□□□ □□□□□ □□□□ □□□ □□□□□□ □□□□□.
* □□□□□□□□□ □□□□□□ □□□□□□ □□□□□□ □□□□□□□□□ □□□□□ □□□ □□□□□ □□ □□□ □□□□□ □□□ □□□ □□□ □□□□□ □□□□□□ □□□□ □□□ □□□ ...□□□□□□□□.
* □□□□ □□□ .□□□□□ □□□□ □□□□ □□□□□ □□□□□□ □□□ !!! □□□□ □□ .□□□□ 10-1 □□□□□□!!

755 nm for white skin (fine, golden hair removal);

808 nm for yellow neutral skin (brown hair removal);

1064 nm for black skin (black hair removal)

□□□□□□ □□□

1. □□□□□□□□□ □□□□□□□ □□□□□□□□ □□ □□□□□□□ □□ □□□□□□□ □□□□□□ □□□□□-2 .□□□□ □□□□ □□□□□ □□□□□
3 .□□□□ □□□ 40.000.000 □□□□□□.Safe □ □□□□□□ □□□□□ □□□□□ □□□□□ □□□□□ .4 □□□□ □ □□□□ □□□ □ □□□□
□□□□□□ □□□□□ 6 □□ □□□□□□□□□ □□□□□□□□ □□□□□□ □□□□ □□□□ □□□□ 5.14.0.

□□□□ □□□□ Waves 755nm 808nm 1064nm □ □□□□□□ □□□□□□ □□□□□ □□□□ □□□□□ □□□ □□□□□□.

755 .□□□□□ □□□□□□ (□□□□□□ / □□□□□□ □□□□□) □□□□□□□ □□□□□□ □□□□□□□
.(□□□□□□□) □□□□□□ □□□□□ □□□ □□□□□□ □□□□□□□ 808
1064nm □□□□□ □□□□□□ (□□□□□□ □□□□□) □□□□□□□ □□□□□□.

□□□□□□ Paramenters

□□□□□	808 29 □□□□
□□□□□□ □□□	808 □□□□□□ □□□□□ 3 □□□□□□□ 755/808/1064 □□ □□□□ □□□□ □□□□□□□
□□□	14 4 □□□□K □□□□□□ □□□□ □□□□
□□□□□□ □□□□□	755/808/1064
□□□□□	20-40 □□□□ □□□□□
□□□□	10 ~ 150 □□□□□□□ □□□□ □ 2 □□ / □
□□□□□	1-10 □□□□
□□□□□	□□□ □□□□ □□□□□□□
□□□	3500 □□□
□□□□□□ □□□	12 * 24 □□□□□□□□ □□ 36 * 12 □□ □□
□□□□□ □□□□□□□□	110 □□□□□□□□ □□□□ 50 / □□□□ 220 □□ □□□□ 60 / □□□□
□□□□□□ □□□□□	95 □□□

□□□□□ □□□□□□□□	105 □□□
□□□□□ □□□	53 * 40 * 105 □□
□□□□ □□□	125 * 56 * 70.4

□□□□□□□ □□□□□□ □□□□ □□□

□□□□□□ □□□□□□ □□□□□□ □□□□□ □□□□□ □□□□□□□ □□□□ □□□□ □ □□□ □□□□ □□□□□ □□□□□!
□□□□□□ □□□□ □□□
□□□□□ □□□□
* □□□□ 14.0 □□□□
* □□□□□□ □□□□□ □□□□
* □□□□□□□□□ □□□□□□□□ □□□□□□□ □□□□□□ □□□□□ - □□□□□□□ □□□□□
* □□□ □□□□□□ □□□□□□ □□□□□□ □□□□□ □□□□ SCR

Custom Section

□□□□ □□□
□□□□□□□□□□ □□□□□ □□□□□□□ □□□□□ □□□□ □□□□□ □□□□□
□□□□□□□ □□□□□

Our customers
60000+ CUSTOMERS
102 Countries
OEM/ODM
Customize the machine according to customer needs
CERTIFICATE

14 □□□□□□□ □□□□ □□□□□ □□ □□□□ □□□□ □□ □□□□□□□ □□ □□□□□!

13 □□□□ □□□□□□ □□□□□□ □□□□

□□□□□□ CE □□□□□□ □□□□□□□□ TUV □□□□□□□□

□□□□□□□ □□□□□□□ □□□□□□ □□□□□□ □□□□□ □□□

□□□□□□ □□□□□

□□□ □□□□□□ □□□ □□□□□ □□□□□ □□□ □ □□□□□□□ □□□□□ □□ □ □□□□□□ □□□□ □□□□□□□□□ □□□ □□□□□ □□□ □□□□□ □□□□□□!

PACKING

Safe and thoughtful packaging service

Tight packaging

Training:
(video +manual+online service)
can keep you operate it easily

Built-in prevention collision bubble

Two- year warranty for machine handle as consumable, one-year warranty

3-5 business days delivery

professional guide:
24 hours professional online customer service