

1064 1320 532755 1064 1320 532755 1064 1320 532755
 q nd yag 1064 1320 532755 1064 1320 532755
 1064 1320 532755 1064 1320 532755

Picosecond new upgrade

The maximum energy, the best effect


Smallest size

Rational design

5 treatment heads, detachable and rotatable outer wire design
 a solution to a variety of skin problems



Picosecond
treatment head
Picosecond



1. 1064 1320 532755 1064 1320 532755 1064 1320 532755

1. 1064 1320 532755 1064 1320 532755 1064 1320 532755
2. 1064 1320 532755 1064 1320 532755 1064 1320 532755
3. 1064 1320 532755 1064 1320 532755 1064 1320 532755
4. 1064 1320 532755 1064 1320 532755 1064 1320 532755



It's different!

How is it different?



如何不同

1. 如何不同 如何 .如何不同 如何不同 如何不同 如何不同.
 2. 如何不同 如何不同 如何不同 如何不同 如何不同 如何不同.
 3. 如何不同 如何不同 如何不同 如何不同 如何不同 如何不同
- 如何不同 如何

How is it different?



5. EXFU 1064nm 1064nm 1064nm 1064nm 1064nm 1064nm 1064nm

1. 532: EXFU 1064nm 1064nm 1064nm.

2. 755 EXFU 1064nm 1064nm 1064nm .EXFU 1064nm 1064nm 1064nm 1064nm :EXFU 1064nm 1064nm

3. EXFU 1064nm 1064nm 1064nm :1064 EXFU 1064nm 1064nm 1064nm

4. EXFU 1064nm 1064nm 1064nm 1064nm :1064 EXFU 1064nm 1064nm 1064nm

5. 1320: EXFU 1064nm 1064nm 1064nm 1064nm 1064nm 1064nm 1064nm

Advantage

The maximum energy, the best effect

Laboratory data shows that the laser rod reaches 2000mj.
Precise calculation of laser value
The aiming distance of the indicator light is 6-10cm

5 treatment heads

Detachable and rotatable outer wire design

532: Remove colored tattoos.

755:honeycomb head: used to remove age spots, freckles, and chloasma. little damage to skin


Adjustable parameter 1064: for tattoo removal, eyebrow clearing

1064: used for removing tattoos and clearing eyebrows

1320: large area treatment, large spot, fast treatment speed and good effect

□□□□□□ □□□□□□

Working Principle



TREATMENT HEADS



532: Remove colored tattoos.



755 honeycomb head: used to remove age spots, freckles, and chloasma. little damage to skin



Adjustable parameter 1064: for tattoo removal, eyebrow clearing



1064: used for removing tattoos and clearing eyebrows



1320: large area treatment, large spot, fast treatment speed and good effect

Product Features



Tattoo removal

Eyebrow embroidery removal

Freeline removal

Eyeline removal

Whitening

Skin rejuvenation

Lipline removal

Pigment treatment

1. 2000 2000 2000 2000

1. 2000 2000 2000 2000 2000 2000 2000 2000 2000 2000mj.

2. 2000 2000 2000 2000

3. 10-6 10-6 10-6 10-6 10-6 10-6


Parameters

1064nm

Precise Calculation Laser Value

The aiming distance of the indicator light is 6-10cm

6-10cm




You think you can. you can
No one can stop me




000000 0000 Q-switch 000000 00000000 000 0 00000000 000000 0000000 0 00000000 Q.
 000000 000 0000000 000 000000000 0000000 00000000 0000000 000000 000000 0000000 00 .000000 000000
 00000 00000000 000000 0000000 00 000000 00 00000 0000000 000000 0000 0000000 000000 000000
 00000 000000 0000000000 0 000000000 0000000 000000000 0 000000000 0000000 0000000 0000000.
 000000 000000 00 00000000 00.

Treatment **Effect**


Tattoo removal





Nevus Ota removal




Eyebrow and eyeliner removal



Lipline removal





BEFORE

AFTER




BEFORE


AFTER




Original pigment




Traditional laser



Picosecond Laser



BEFORE




AFTER

10 1000000 1000000 1000000 1000000 1000000
 6 1000000 1000000 1000000 1000000 1000000
 OEM 1000000 1000000 1000000 1000000 1000000 / fre / 1000000

Screen Image

The display screen is clear at a glance and easy to operate



10 inch true color big touch screen. Super cool touch Experience.
Special language can be added according to your actual requirements.
Your logo also can be added on diode laser screen.

Picosecond new upgrade

The maximum energy, the best effect

Smallest size

Rational design

5 treatment heads, detachable and rotatable outer wire design
a solution to a variety of skin problems



1. 1064nm Nd yag

2. 532nm

3. 1320nm

4. 755nm

5. 1064nm

6. 532nm

7. 1320nm

8. 755nm

1. 1064nm Nd yag

2. 532nm / 1320nm 1064nm 755nm Blackface

3. 1064nm

4. 532nm 1320nm 755nm

5. 1064nm 532nm 1320nm 755nm 1064nm 532nm 1320nm 755nm....

6. 1-10

7. 110 60-50 220 / 100

1. 1064nm Nd yag

2. 532nm / 1320nm 1064nm 755nm Blackface

3. 1064nm

4. 532nm 1320nm 755nm 1064nm 532nm 1320nm 755nm 1064nm 532nm 1320nm 755nm....

5. 1-10

6. 110 60-50 220 / 100



CE FDA TUV ISO 13485...

மேலே உள்ளவற்றைப் பற்றித் தகவல் கொடுக்கக் கூடியவர்களுக்கு மட்டும் இவ்வுத்தரம் பொருள்படும். / மேலே உள்ளவற்றைப் பற்றித் தகவல் கொடுக்கக் கூடியவர்களுக்கு மட்டும் இவ்வுத்தரம் பொருள்படும்.

[illegible]

CERTIFICATES



BV-France's most authoritative
certification body BV Group certification



TUV-Germany's most authoritative
certification body Rheinland certification



SGS-Switzerland's most authoritative
certification body SGS certification



Italy ECM Certification



ISO 13485

NQA medical system
certification



Production Process



Warehouse spare parts



Parts assembly



Precision machining



Handle fabrication



Product assembly process



Quality inspection
of finished products



Product packaging

本公司拥有完善的生产体系，从原材料采购到成品出厂，每个环节都严格把控。我们拥有先进的生产设备和技术，确保产品质量。同时，我们还拥有专业的研发团队，能够为客户提供定制化的产品和服务。我们的生产流程如下：

1. 原材料采购：我们选择优质的原材料供应商，确保原材料的质量。2. 精密加工：我们采用先进的精密加工技术，确保产品的精度。3. 产品组装：我们拥有专业的组装团队，确保产品的组装质量。4. 质量检验：我们对成品进行严格的质量检验，确保产品符合标准。5. 产品包装：我们对成品进行专业的包装，确保产品在运输过程中的安全。

我们的生产流程

Packing

Safe and thoughtful packaging service



Tight packaging

The machine shall be made of waterproof materials and packaged

**Anti collision foam board
inside aluminum box**



3-5 business days delivery

Professional guide:

24 Hours Professional online customer service

CONTACT US



In terms of following trade details:

- 1)The shipping cost are based on DHL cost to your country
- 2)Delivery time:3-5 days after receiving payments.
- 3)Payment terms:T/T(bank transfer),Western Union.
- 4)Warranty:2 years for the whole machine
- 5)Warranty Policy:one month guarantee replacement (we bear all shipping cost),2years warranty,lifelong maintenance.
- 6)Packing method: Aluminum box with hard plastic foam.
- 7)Free-training to customers:Free We could offer DVD and User's manual and 10 Hours online service to our customers
- 8)Certifications:CE TUV SFDA ISO 13485
- 9)MOQ:1 UNIT
- 10)The quotation here above is valid within 1 month