Caractéristiques laser picoseconde

>>No injury to skin and hair follicle; no risk of scarring.
>>Instantaneous blasting high laser technology, international standard of production, technical test strictly.
>>Imported stone Q-switch cassette mechanism, the entire solid laser, without replacing Q-switch.
>>Painless treatment, little side-effect.

ND YAG Laser handle
8.4 true color touch screen
Emergency Switch
Key Switch
width:35cm
highth:35cm
Positive
45° Left
Left
45° Right
Right

Six têtes ajustent la taille du spot de 1 mm à 7 mm.
Réglable 1064nm/532nm, fixe 1064nm/532nm/1320nm/755nm.

* Fixe 1064/532 nm utilisé pour le retrait des tatouages, le retrait des lèvres, le retrait des sourcils, le retrait du naevus d'Ota, le champignon du retrait des ongles.
* Fixe 1320 nm utilisé pour le blanchiment de la peau, le rétrécissement des pores, le lifting de la peau.
* Fixe 755 nm utilisé pour le blanchiment de la peau, enlever la peau jaune, le chloasma, le pigment vieillissant
* Réglable 1064/532 nm utilisé pour le traitement rapide de grandes surfaces, taille de point réglable de 1 à 7 mm.

Comparaison des effets

Paramètres du produit

APPLICATION	1)Tattoo removal 2)Eyebrow embroidery removal 3)Eyeline removal 4)Freckles removal 5)Skin rejuvenation 6)Lipline removal 7)Pigment treatment 8)Whitening
wavelength	1064nm&532nm&755 nm &1320nm &1064nm(Adjustable)&532nm(Adjustable)
Pulse energy	1-1500MJ/CM
Width of Pulse	0-10ns
Frequency	1-10HZ
Light spot	1-7mm
Power supply:	220V, 6A or 110V, 12A
color	Blue and black color
Packing method	Aluminum Packing
N.W	20kg
G.W	30kg
Machine	35cm*45cm*35cm(L*W*H)
Aluminum box	46*49*60cm(L*W*H)

Plastic foam:6cm

strong and beautiful aluminum alloy case

N.W 20KG

G.W 30KG

Free logo service

Monarch
BUSINESS COMPANY

BEAUTIQUE

COMPANY
OTHER

MEIZHIRAN

COMPANY
OTHER

COMPANY
OTHER

Jammy

LOGO DESIGN
COMPANY NAME