



100% 100% 100% 100% 100% 100% 100% 100% 100% **picosecond** 100% 100%
 100% 5 100% 100%
 15 100% 100% 100% 100%
 100% 100% 100% CE/FDA
 24-48 100%
 100% 100% 100%

Establishment Registration & Device Listing

FDA Home Medical Devices Databases



New Search

Back To Search Results

Establishment:

WEIFANG MINGLIANG ELECTRONICS CO.,LTD.
Floor 3, Building 4, Second Accelerator, Yuqing Eastern Street, High-Tech District
Weifang Shandong, CN 261000
Registration Number: 3007549439
FEI Number*: 3007549439
Status: Active
Date Of Registration Status: 2022

Owner/Operator:

Weifang Mingliang Electronics CO.,LTD.
Floor 3, Building 4, Second Accelerator, Yuqing Eastern Street, High-Tech District
Weifang, Shandong CN 261000
Owner/Operator Number: 10082104

Official Correspondent:

Pingping Lv
Floor 3, Building 4, Second Accelerator, Yuqing Eastern Street, High-Tech District
Weifang, Shandong CN 261000
Phone: 86-10-56335780

US Agent:

Wen Xu
4611 Maydew Mews Way Ellicott City MD
Ellicott, MD US 21042
Phone: 443 8968583 Ext
Email: Infor@Believe-Med.Com

* Firm Establishment Identifier (FEI) should be used for identification of entities within the imports message set

Page Last Updated: 05/09/2022

Note: If you need help accessing information in different file formats, see Instructions for Downloading Viewers and Players.

Language Assistance Available: Español | 繁體中文 | Tiếng Việt | 한국어 | Tagalog | Русский | العربية | Kreyòl Ayisyen | Français | Polski | Português | Italiano | Deutsch | 日本語 | فارسی | English

Picosecond 532 755 1320 1064nm

q switch nd yag

Parameters Table



Device Name	Picosecond LA2
Wavelength	☐ 532nm ☐ 755nm ☐ 1064nm ☐ 1320nm technology
Screen Size	12inch touch screen
Life	40 million
Frequency	1-20hz
Rated Power	600W
Energy	1-3000MJ
Cooling System	☐ Water ☐ Air
Voltage	☐ AC220V50HZ ☐ AC110V 60HZ
Machine Size	340mm*490mm*340mm
Package	Aluminum Case
Warranty	2 years for machine, 1 year for handle

በመጀመሪያ ስርዓት የመጠቀሚያውን የመጠቀሻው ስም ማስጠቀስ ማለት ነው፡፡

1. የመጠቀሻው ስም ማስጠቀስ የመጠቀሻው ስም ማስጠቀስ
2. የመጠቀሻው ስም ማስጠቀስ የመጠቀሻው ስም ማስጠቀስ
3. የመጠቀሻው ስም ማስጠቀስ የመጠቀሻው ስም ማስጠቀስ
4. የመጠቀሻው ስም ማስጠቀስ የመጠቀሻው ስም ማስጠቀስ



በመጀመሪያ ስርዓት የመጠቀሚያውን የመጠቀሻው ስም ማስጠቀስ ማለት ነው፡፡

1. የመጠቀሻው ስም ማስጠቀስ የመጠቀሻው ስም ማስጠቀስ
2. የመጠቀሻው ስም ማስጠቀስ የመጠቀሻው ስም ማስጠቀስ
3. የመጠቀሻው ስም ማስጠቀስ የመጠቀሻው ስም ማስጠቀስ

በመጀመሪያ ስርዓት የመጠቀሚያውን የመጠቀሻው ስም ማስጠቀስ ማለት ነው፡፡

5 የመጠቀሻው ስም ማስጠቀስ የመጠቀሻው ስም ማስጠቀስ ማለት ነው፡፡

1. 532: የመጠቀሻው ስም ማስጠቀስ ማለት ነው፡፡
2. የመጠቀሻው ስም ማስጠቀስ የመጠቀሻው ስም ማስጠቀስ ማለት ነው፡፡
3. የመጠቀሻው ስም ማስጠቀስ የመጠቀሻው ስም ማስጠቀስ ማለት ነው፡፡
4. የመጠቀሻው ስም ማስጠቀስ የመጠቀሻው ስም ማስጠቀስ ማለት ነው፡፡

5. 1320: 1320nm 1320nm 1320nm 1320nm 1320nm ,1320nm 1320nm ,1320nm 1320nm 1320nm



Advantage


The maximum energy, the best effect
 Laboratory data shows that the laser rod reaches 2000mj.
 Precise calculation of laser value
 The aiming distance of the indicator light is 6-10cm

5 treatment heads
 Detachable and rotatable outer wire design
 532: Remove colored tattoos.
 755:honeycomb head: used to remove age spots, freckles, and chloasma. little damage to skin
 Adjustable parameter 1064: for tattoo removal, eyebrow clearing
 1064: used for removing tattoos and clearing eyebrows
 1320: large area treatment, large spot, fast treatment speed and good effect


1320nm 1320nm

Working Principle






Surface
Epidermis
Dermis
Hypodermis



Tattoo/Spot



Laser
Choose to absorb the laser and break up



TREATMENT HEADS



532: Remove colored tattoos.



755 honeycomb head: used to remove age spots, freckles, and chloasma. little damage to skin



Adjustable parameter 1064: for tattoo removal, eyebrow clearing



1064: used for removing tattoos and clearing eyebrows



1320: large area treatment, large spot, fast treatment speed and good effect

product display



Advantage

- The maximum energy, the best effect
- Smallest size
- Rational design
- 5 treatment heads, detachable and rotatable outer wire design
- A solution to a variety of skin problems

1. 2000-2005 年，PicoSure 激光系统

1. 2000-2005 年，PicoSure 激光系统 2000mj.

2. 2000-2005 年，PicoSure 激光系统

3. 2000-2005 年，PicoSure 激光系统 6-10 秒


2000-2005 年

1064nm

Precise Calculation Laser Value

The aiming distance of the indicator light is 6-10cm

6-10cm




You think you can. you can
No one can stop me



□□□□ □□□□□ Q-switch □□□□ □□□ ,□□□□ □□□□□ □□ ,□□□□□ □□□□ Q-switch.


001, 002, 003, 004, 005, 006, 007, 008, 009, 010, 011, 012, 013, 014, 015, 016, 017, 018, 019, 020, 021, 022, 023, 024, 025, 026, 027, 028, 029, 030, 031, 032, 033, 034, 035, 036, 037, 038, 039, 040, 041, 042, 043, 044, 045, 046, 047, 048, 049, 050, 051, 052, 053, 054, 055, 056, 057, 058, 059, 060, 061, 062, 063, 064, 065, 066, 067, 068, 069, 070, 071, 072, 073, 074, 075, 076, 077, 078, 079, 080, 081, 082, 083, 084, 085, 086, 087, 088, 089, 090, 091, 092, 093, 094, 095, 096, 097, 098, 099, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 8

TECHNICAL PRINCIPLE



Traditional laser

Traditional nanosecond lasers predominately rely on photothermal action, delivering heat to the pigment and surrounding tissue



Picosecond laser

Picosecond takes advantage of Pressure Wave Technology to shatter the target ink into tiny particles that are easily

Before & After



Before

After



Before

After



Before

After



Before

After



Before

After



Before

After

0000 000000

000000 00000 '00000 14 000000 00000 0000 0000

0000000 00000 0000 0000000


6 0000000 0000 00000000 00000 ,000000000 00000

000000 OEM 0000/000000/00000000 00000 00000 ,000000 000000 00000 ,000000000

Screen Image

The display screen is clear at a glance and easy to operate

- 12 inch true color big touch screen. Super cool touch Experience.
- Special language can be added according to your actual requirements.
- Your logo also can be added on diode laser screen.



雷射器	雷射器 / 雷射 雷射器 Nd yag
雷射器	雷射器 雷射器 / 雷射器 雷射器 雷射器 Blackface
雷射器	5 雷射器
雷射器	1064nm 532nm 1320nm 755nm
雷射器 雷射器	雷射器 雷射器 雷射器 雷射器 雷射器....
雷射器	1-10HZ
雷射器	110V/220V 50-60Hz

雷射器 雷射器
 雷射器 雷射器 雷射器 雷射器 雷射器 15 雷射器!
 15 雷射器 雷射器 雷射器 雷射器
 雷射器 CE 雷射器 雷射器 TUV 雷射器 雷射器 雷射器 & OEM

Our Showroom



Our products are CE, FDA, TUV, ISO 13485... certified.

We provide OEM/ODM services for our customers.

We are a professional manufacturer of medical devices. We have a complete production line and a professional R&D team. We can provide you with the best quality products and the most competitive prices.

CERTIFICATES



BV-France's most authoritative
certification body BV Group certification



TUV-Germany's most authoritative
certification body Rheinland certification



SGS-Switzerland's most authoritative
certification body SGS certification



Italy ECM Certification



ISO 13485

NQA medical system
certification



Production Process



Warehouse spare parts



Parts assembly



Precision machining



Handle fabrication



Product assembly process



Quality inspection
of finished products



Product packaging

, 本公司 拥有 完善 的 质量管理体系 和 先进的 生产设备 , 能够 提供 24 小时 不间断 的 生产 服务 , 确保 产品 质量 稳定 可靠 , 满足 客户 的 需求 。

本公司 拥有 完善 的 质量管理体系 和 先进的 生产设备 , 能够 提供 24 小时 不间断 的 生产 服务 , 确保 产品 质量 稳定 可靠 , 满足 客户 的 需求 。

本公司 拥有 完善 的 质量管理体系 和 先进的 生产设备 , 能够 提供 24 小时 不间断 的 生产 服务 , 确保 产品 质量 稳定 可靠 , 满足 客户 的 需求 。

Packing

Safe and thoughtful packaging service



Tight packaging

The machine shall be made of waterproof materials and packaged

**Anti collision foam board
inside aluminum box**



3-5 business days delivery

Professional guide:

24 Hours Professional online customer service

CONTACT US



In terms of following trade details:

- 1)The shipping cost are based on DHL cost to your country
- 2)Delivery time:3-5 days after receiving payments.
- 3)Payment terms:T/T(bank transfer),Western Union.
- 4)Warranty:2 years for the whole machine
- 5)Warranty Policy:one month guarantee replacement (we bear all shipping cost),2years warranty,lifelong maintenance.
- 6)Packing method: Aluminum box with hard plastic foam.
- 7)Free-training to customers:Free We could offer DVD and User's manual and 10 Hours online service to our customers
- 8)Certifications:CE TUV SFDA ISO 13485
- 9)MOQ:1 UNIT
- 10)The quotation here above is valid within 1 month